The eye's protective layer is thinner than a human hair, and it's what stands between the eyes and the world.⁺

A healthy lipid layer is an important part of the tear film. It stabilizes the tear film and helps prevent aqueous evaporation.

- Studies have shown that patients with dry eye symptoms are more likely to have a relatively thin lipid layer.¹²
- Evaporative dry eye is the most prevalent type of dry eye, where the lipid layer cannot sufficiently inhibit the aqueous layer from evaporating.^{3,4}
- Deficiency in the lipid layer is a factor in propelling dry eye symptoms and ocular damage.⁵







Soothe[™] Restore helps:

- MOISTURIZE for fast relief
- RESTORE the lipid layer
- PROTECT against tear loss

BAUSCH + LOMB See better. Live better.

Tested Performance:

Soothe[™] Restore with Restoryl[™] mineral oils has been shown to significantly restore lipid layer thickness.⁶



Representative stroboscopic video color microscope (SCVM) images of the lipid layer of the tears at the baseline visit (before); and 15 minutes following the instillation of a lipid containing (emollient) eye drop (after). Note that grey, or lack of color, is representative of a thin lipid layer, whereas bright colors represent thicker lipid layers, as noted in the color scale to the right of each image. Fogt J, Barr J. The Ohio State University College of Optometry, 2016.

Soothe[™] Restore contains Restoryl[™] mineral oils, a UNIQUE combination of mineral oils.

It goes from milky to clear in seconds as it starts working. As a result, patients may experience slight blurring of vision, which clears up after just a few blinks.



Always direct the patient to read and follow the label. If you have any questions about SootheTM Restore Advanced Dry Eye Therapy, please call 1-888-459-5000 or visit bausch.ca. † Complexity of the tear film: Importance in homeostasis and dysfunction during disease. doi: 101016/j.ever.201310.008.1. Blackie CA et al. The relationship between dry eye symptoms and lipid layer thickness. Cornea. 2009 Aug; 28(7): 789-94.2. Structure-function relationship of tear film lipid layer. A contemporary perspective. Experimental Eye Research 163 (2017) 17-28.3. Albietz JM. Prevalence of dry eye subtypes in clinical optometry particue. Optom Vis Sci. 2000 Jul;77(7):357-63.4. Bron AJ, Tiffany JM, Gouveia SM, Yokoi N, Voon LW. Functional aspects of the tear film lipid layer. Experimental Bayer Acontemporary perspective. Experimental Sci. 2000 Jul;77(7):357-63.4. Bron AJ, Tiffany JM, Gouveia SM, Yokoi N, Voon LW. Functional aspects of the tear film lipid layer. Exp. Eye Res. 2004 Mar;78(3):347-60. Review. PubMed. 5. 2007 Report of the International Dry Eye Workshop (DEWS) Ocular Surface 2007;5(2):65.6. Fog J. Tear lipid layer thickness with eye drops in meibomian gland dysfunction. Clinical Optalamlogy 2016;10:4. 'If used for post-operative (eg. LASIK) dryness and discomfort, follow your eye doctor's instructions. Bausch & Lomb Canada, Vaughan, Ontario, L4K 484 © Valeant Canada LP @//^M are trademarks of Bausch & Lomb Incorporated or its affiliates. TPI5401